



# IECEX Certificate of Conformity

## INTERNATIONAL ELECTROTECHNICAL COMMISSION IEC Certification Scheme for Explosive Atmospheres

for rules and details of the IECEx Scheme visit [www.iecex.com](http://www.iecex.com)

Certificate No.:	IECEX TRC 15.0015X	Issue No: 2	<u>Certificate history:</u> Issue No. 2 (2016-11-24) Issue No. 1 (2016-10-13) Issue No. 0 (2015-09-30)
Status:	<b>Current</b>	Page 1 of 5	
Date of Issue:	<b>2016-11-24</b>		
Applicant:	<b>Extronics Ltd</b> 1 Dalton Way, Midpoint 18, Middlewich, Cheshire, CW10 0HU <b>United Kingdom</b>		
Equipment:	<b>RF Galvanic Isolator - isolate501</b>		
<i>Optional accessory:</i>			
Type of Protection:	<b>Non-sparking, Intrinsically Safe</b>		
Marking:	Ex nA [Ex ia Ga] IIC T6 Gc Ex ic [Ex ia Da] IIIC T85 ° C Dc [Ex ia Ma] I -40°C ≤ Ta ≤ +80°C		

*Approved for issue on behalf of the IECEx  
Certification Body:*

Stephen Winsor

*Position:*

Certification Manager

*Signature:  
(for printed version)*

*Date:*

1. This certificate and schedule may only be reproduced in full.
2. This certificate is not transferable and remains the property of the issuing body.
3. The Status and authenticity of this certificate may be verified by visiting the [Official IECEx Website](http://www.iecex.com).

*Certificate issued by:*



# IECEX Certificate of Conformity

Certificate No: IECEx TRC 15.0015X

Issue No: 2

Date of Issue: 2016-11-24

Page 2 of 5

**Element Materials Technology**  
Unit 1 Pendle Place  
Skelmersdale  
West Lancashire  
WN8 9PN





# IECEx Certificate of Conformity

Certificate No: IECEx TRC 15.0015X

Issue No: 2

Date of Issue: 2016-11-24

Page 3 of 5

Manufacturer: **Extronics**  
1 Dalton Way,  
Midpoint 18,  
Middlewich,  
Cheshire,  
CW10 0HU,  
**United Kingdom**

Additional Manufacturing location(s):

This certificate is issued as verification that a sample(s), representative of production, was assessed and tested and found to comply with the IEC Standard list below and that the manufacturer's quality system, relating to the Ex products covered by this certificate, was assessed and found to comply with the IECEx Quality system requirements. This certificate is granted subject to the conditions as set out in IECEx Scheme Rules, IECEx 02 and Operational Documents as amended.

#### STANDARDS:

The electrical apparatus and any acceptable variations to it specified in the schedule of this certificate and the identified documents, was found to comply with the following standards:

<b>IEC 60079-0 : 2011</b> Edition:6.0	Explosive atmospheres - Part 0: General requirements
<b>IEC 60079-11 : 2011</b> Edition:6.0	Explosive atmospheres - Part 11: Equipment protection by intrinsic safety "i"
<b>IEC 60079-15 : 2010</b> Edition:4	Explosive atmospheres - Part 15: Equipment protection by type of protection "n"

*This Certificate **does not** indicate compliance with electrical safety and performance requirements other than those expressly included in the Standards listed above.*

#### TEST & ASSESSMENT REPORTS:

*A sample(s) of the equipment listed has successfully met the examination and test requirements as recorded in*

Test Report:

[GB/TRC/ExTR15.0016/00](#)      [GB/TRC/ExTR15.0016/01](#)

Quality Assessment Report:

[GB/SIR/QAR08.0025/07](#)



# IECEx Certificate of Conformity

Certificate No: IECEx TRC 15.0015X

Issue No: 2

Date of Issue: 2016-11-24

Page 4 of 5

## Schedule

### EQUIPMENT:

*Equipment and systems covered by this certificate are as follows:*

The iSOLATE501 is a RF galvanic isolator. It is intended to allow the connection of any RF transmitter within certain power and frequency limits to any appropriate antenna using coaxial cables. The device provides galvanic isolation to frequencies in the range of 120Mhz to over 8Ghz. It provides an open circuit to DC and low frequency AC signals, and is a passive component.

**CONDITIONS OF CERTIFICATION: YES as shown below:**

See Conditions of use in the Annex.



# IECEX Certificate of Conformity

---

Certificate No: IECEx TRC 15.0015X

Issue No: 2

Date of Issue: 2016-11-24

Page 5 of 5

**DETAILS OF CERTIFICATE CHANGES (for issues 1 and above):**

Removal or update of 4 drawings on the technical documents list.

**Annex:**

[Annex to IECEx TRC 15.0015X is 2.pdf](#)



**Element Materials Technology,**  
 Unit 1, Pendle Place,  
 Skelmersdale,  
 West Lancashire, WN8 9PN,  
 United Kingdom

**Annex to IECEx Certificate of Conformity**

**IECEx TRC 15.0015X issue No.: 2**

<b>“Conditions of Use” for Ex Equipment</b>		
1. The RF power input to the device must be limited to defined power levels dependent on the Equipment/Gas Group:		
Maximum safe input power, defined as in normal operation without user-settable software limits, and must include antenna gain consideration	Group I Group IIC Group IIB Group IIA Group III	6.0W (37.7dBm) 2.0W (33dBm) 3.5W (35.4dBm) 6.0W (37.7dBm) 6.0W (37.7dBm)
2. The product must be mounted such that it is earthed before use in accordance with clause 15 in IEC 60079-0:2011.		
3. The product shall be mounted in an IECEx/ATEX approved Ex ‘n’ or Ex ‘e’ enclosure with minimum IP54 rating while situated in hazardous gas atmospheres.		
4. The product must be mounted in an IECEx/ATEX approved Ex ‘e’ enclosure with minimum IP54 rating while situated in hazardous dust atmospheres.		
5. No live connections or disconnections of connectors must be made on the product while situated in hazardous area.		
6. The product must only be situated in safe area when providing ‘ia’ output into mining ‘M1’ area.		

<b>Manufacturer’s Documents</b>			
Title:	Drawing No.:	Rev. Level:	Date:
CD iSOLATE501 PCB Certification Drawing	409580	2.1	2015-06-16
iSOLATE501 Label Certification ATEX_IECEx	418407	1.0	2016-03-03
CD iSOLATE501 GENERAL ASSEMBLY CERTIFICATION (2 sheets)	412479	2.0	2016-09-14
iSOLATE501 Operating Manual (23 sheets)	413569	2.0	2016-07-25