

TGUARD Tag Protector Range



- Prevents accidental call button activation
- Quick call button access in an emergency, even when wearing gloves
- Added tag protection
- Easy to fit
- Variety of mounting options
- Suitable for use with AeroScout T2 & Extronics iTAG100 RFID tags

The TGUARD Tag Protector range is a series of silicon tag cases with call button covers, designed to prevent workers accidentally pressing the emergency call button. The TGUARD Tag Protector range also adds extra protection for tags, both with and without call buttons.

As the TGUARD Tag Protector range is designed to work with the intrinsically safe iTAG100, as well as the non-certified T2 tag, it is fully compliant with the standards for hazardous areas as defined by IEC BS EN 60079-0.

The TGUARD Tag Protector range fits seamlessly into your workflow with a variety of mounting options. The TGUARD variant is fitted with a keyring for ease of attachment to worker equipment, whilst accessory lanyards and arm straps are also available.

The TGUARD-C/CX and TGUARD-L/LX variants are specifically designed to enhance performance in extremely harsh environments. This improved design features a reinforced backplate that attaches to the tag, providing extra durability to the mounting attachments.

The TGUARD Tag Protector range offers peace of mind to the user and added protection for the tags.



Extronics Limited

1 Dalton Way, Midpoint 18, Middlewich, Cheshire, UK. CW10 0HU

Tel: +44 (0) 845 277 5000 Fax: +44 (0)845 277 4000 E-mail: info@extronics.com Web: www.extronics.com

416511-2.0



TGUARD

- Protective silicon case
- Call button cover
- Keyring mounting option



TGUARD-L

- Protective silicon case
- Optional call button cover
- Reinforced backplate featuring lanyard loop mounting option



TGUARD-C

- Protective silicon case
- Optional call button cover
- Reinforced backplate featuring integrated ring mounting options



Extronics Limited

1 Dalton Way, Midpoint 18, Middlewich, Cheshire, UK. CW10 0HU

Tel: +44 (0) 845 277 5000 Fax: +44 (0)845 277 4000 E-mail: info@extronics.com Web: www.extronics.com

416511-2.0

Fitting/removing the lanyard and clip attachment



Accessing the call button



To access the call button, simply pull down the hinged tab



Lift the button cover away



Press call button. Cover can be reinserted easily once call button no longer needed



Specification

Compliance Standards	IEC BS EN 60079-0
Dimensions	W 45 x L 65 x H 21 mm
Weight	0.024g – 0.46g (depending on variant)
Material	Body: silicon rubber Button Cover: polypropylene Reinforced backplate: polycarbonate/ABS

Ordering information

Description	Order code
Silicon case for iTAG100 & T2 with button cover and key ring	TGUARD
Silicon case for iTAG100 & T2 with button cover and reinforced backplate featuring lanyard loop	TGUARDL
Silicon case for iTAG100 & T2 with reinforced backplate featuring lanyard loop (no button cover)	TGUARDLX
Silicon case for iTAG100 & T2 with button cover and reinforced backplate featuring metal clip	TGUARDC
Silicon case for iTAG100 & T2 with reinforced backplate featuring metal clip (no button cover)	TGUARDCX
Accessories:	
Lanyard – wrist	TGUARDLW
Lanyard – neck	TGUARDLN
Arm strap	TGUARDAS



Extronics Limited

1 Dalton Way, Midpoint 18, Middlewich, Cheshire, UK. CW10 0HU

Tel: +44 (0) 845 277 5000 Fax: +44 (0)845 277 4000 E-mail: info@extronics.com Web: www.extronics.com

416511-2.0